

FIELD TYPE ROTAVATOR WITH ROLLER COMBINATION (ROTATILLER)



SMRT-315P



SMRT-315P



GENERAL FEATURES

Our field type rotovator, gets its movement from the tail shaft. Perpendicular to the direction of movement and half a moon, with blasting feet (chart) and roller group, it is a soil milling cutter with blades placed on the shaft, rotating parallel to the soil surface. By providing the decomposition of organic substances such as stalk, green grass and plant residue, it enables these to be mixed into the soil. With the blasting feet attached to the front, the soil is blasted and then the soil is processed with blades and compressed with the roller group in order to get the soil ready for planting. Thus the functions of various tools such as plow, harrow, bolt have been gathered in a single machine. Our machine mixes organic compounds into the soil by milling without spoiling the structure of the soil. The soil processed with our machine will settle quickly and hence seeds will germinate in a short time. It can be successfully used in the preparation of the planting bed of crops and seedlings. It is produced with four cycles.

TECHNICAL DETAILS

CODE	NUMBER OF BLADE	WORKING WIDTH (CM)	TYPE OF GEARBOX	WORKING DEPTH (CM)	NUMBER OF FRONT LEG	WEIGHT (KG)	REQUIRED POWER (HP)
SMRT-180	42	175	SINGLE ROTATION	20	2	720	50
SMRT-210	48	200	SINGLE ROTATION	20	2	780	60
SMRT-240	54	230	SINGLE ROTATION	20	4	820	70
SMRT-180P	42	175	VARIABLE ROTATION	20	2	800	50
SMRT-210P	48	200	VARIABLE ROTATION	20	2	860	60
SMRT-240P	54	230	VARIABLE ROTATION	20	4	920	70
SMRT-260P	60	250	VARIABLE ROTATION	20	4	980	80
SMRT-280P	66	270	VARIABLE ROTATION	20	4	1100	90
SMRT-315P	78	314	VARIABLE ROTATION	20	6	1300	100
SMRT-350P	84	340	VARIABLE ROTATION	20	6	1462	110
SMRT-400P	96	370	VARIABLE ROTATION	20	6	1538	120





SOIL MASTER
AGRICULTURAL MACHINERY

HEAD OFFICE

Add: Fevzi Cakmak Mh. 10758 Sk. No: 16/G
42050 Karatay/Konya/TURKEY

T: +90 332 290 00 20
F: +90 332 290 00 19

FACTORY

Add: Büyükkayacık Osb, Yaylacık Cd. No:
23, 42250 Selcuklu/Konya/TURKEY

T: +90 332 239 18 85
T: +90 332 239 18 86
F: +90 332 239 18 87

www.soilmaster.com.tr



+90 (532) 137 01 74



info@soilmaster.com.tr



SOILMASTER AGRICULTURAL MACHINERY



For detailed information about
our products, you can scan the
QR code by your device.